

*Please forward all correspondence to our Po Box 1224, Redcliffe Q 4020*

## ATTACHMENT

### DRUGS/POISONS DETECTED IN BLOOD BY FULL SCREENING

The drugs shown below would normally be detectable at therapeutic or higher concentrations unless otherwise indicated. The drugs detected include, but are not limited to those shown below. For any drug not on the list, please contact the laboratory regarding out testing capability.

<b>Amphetamines / Stimulants**</b>	Amphetamine, methylamphetamine, pseudoephedrine, ephedrine, 3,4-Methylenedioxyamphetamine (MDA), 3,4-Methylenedioxyethylamphetamine (MDEA), 3,4-Methylenedioxymethylamphetamine (MDMA), paramethoxyamphetamine (PMA), phentermine.
<b>Benzodiazepines</b>	Alprazolam, bromazepam, clobazam, clonazepam / 7-aminoclonazepam, diazepam / nordiazepam, flunitrazepam / 7-aminoflunitrazepam, flurazepam / desalkylflurazepam, hydroxy alprazolam, lorazepam, midazolam, nitrazepam / 7-aminonitrazepam, oxazepam, temazepam, triazolam.
<b>Anti-Depressants</b>	Amitriptyline / nortriptyline, citalopram, clomipramine, dothiepin, doxepin, fluoxetine, fluvoxamine, imipramine / desipramine, mianserin, mirtazapine, moclobemide, nefazadone, paroxetine*, sertraline, trimipramine, venlafaxine.
<b>Opiates** / Narcotic analgesics</b>	Morphine, codeine, dextromethorphan, dextromoramide, methadone, oxycodone*, pentazocine, pethidine, pholcodine, propoxyphene, tramadol.
<b>Anti-Psychotics/ Tranquillisers</b>	Amisulpride*, chlorpromazine, clozapine, fluphenazine, haloperidol*, methaqualone, olanzapine, pericyazine, prochlorperazine, promazine, quetiapine, thioridazine, trifluoperazine*, zolpidem.
<b>Anti-Histamines</b>	Brompheniramine, chlorpheniramine, diphenhydramine, pheniramine, promethazine.
<b>Anti-Convulsants / Barbiturates</b>	Amylobarb, carbamazepine, lamotrigine, levetiracetam, methylphenobarbitone, oxcarbazepine, pentobarb, phenobarb, phenytoin, primidone, quinalbarb, thiopentone.
<b>Analgesics</b>	Diclofenac, paracetamol, salicylic acid (aspirin)
<b>Anti-Diabetics</b>	Chlorpropamide, gliclazide, tolbutamide.
<b>Anti-Inflammatory</b>	Diflunisal, ibuprofen, ketoprofen, meloxicam, naproxen, piroxicam.
<b>Miscellaneous</b>	Acetone, acetazolamide, amantadine, atracurium, atropine, benzotropine, bupivacaine, bupropion, caffeine, cannabinoids, cisapride, chloroquine, cotinine, cyproheptadine, diltiazem, dipyridamole, disopramide, doxylamine, ethanol, flecainide, fluconazole, frusemide, hydroxychloroquin, irbesartan, ketamine, lignocaine, methanol, metoclopramide, metoprolol*, metronidazole, mexiletine, nicotine, omeprazole, orphenadrine, pantoprazole, perhexiline, propranolol, quinine, quinidine, rabeprazole, risperidone*, strychnine, sulphamethoxazole, telmisartan, theophylline, tranylcypamine, trimethoprim, verapamil, warfarin.

\* Detectable at toxic or higher concentrations

\*\* Cocaine/cocaine metabolite and 6 mono acetyl morphine can be detected by urine immunoassay.

#### Legend to screening methods

GC/NPD: Gas chromatograph with nitrogen phosphorus detection.

GC/MS: Gas chromatograph with mass spectral detection.

HPLC: High performance liquid chromatography with diode array detection.

LC/MS: High performance liquid chromatography with tandem mass spectral detection.